SPITA Smart Products B.V.

Industrieweg 18-9 3846 BD Harderwijk (NL)

Tel.: +31 - 341 - 41 49 93

www.spita.eu

VAT nr.: NL-8590.76.404.B01 Chamber of Commerce: 72334738 IBAN nr.: NL39 RABO 0332 4765 53

MATERIAL SAFETY DATA SHEET SPITA ResQ-plast (complete range)

Self-sticking tender tape

Product Name: SPITA ResQ-plast (Self-sticking Tender Tape) Cotton dressings/bandages suitable for Class:

SPITA

medical use (Class 1 93/42/EEG) Manufacturer: SPITA Smart Products B.V. Telephone No. +31 341 414 993 Address: Industrieweg 18-9 3846 BD Harderwijk The Netherlands

| | Health |
|--------------------------|------------|
| NEPA-704 Hazard Rating: | 0 |
| 4 – Extreme | Fire |
| 3 – High | 0 |
| 2 – Moderate | Reactivity |
| 1 – Slight | 0 |
| 0 – Minimal | |
| *- Chronic Health Hazard | |
| (See Section V) | |
| | |

SECTION II: HAZARDOUS INGREDIENTS

Not a hazardous chemical as defined by the OSHA Hazard Communication Standard CFR Title 29 1910.1200

| % | TLV | PEL | CAS# |
|---|-----|-----|------|
| | | | |
| | | | |
| | | | |
| | | | |

SECTION III: PHYSICAL DATA

| Boiling Point (°C): | NA |
|---------------------------------|-----|
| Vapor Pressure (MM Hg): | NA |
| Vapor Density (Air - 1): | NA |
| Solubility in Water: | Nil |
| Specific Gravity (H20 - 1): | 1.0 |
| Percent Volatile by Volume (%): | Nil |
| PH: | NA |
| Evaporation Rate (BuAC=1): | Nil |

Product Identification: SPITA ResQ-plast (Self-sticking Tender Tape)



DATE 02-01-2022



SPITA Smart Products B.V.

Self-sticking tender tape

Industrieweg 18-9 3846 BD Harderwijk (NL)

Tel.: +31 - 341 - 41 49 93

www.spita.eu

VAT nr.: NL-8590.76.404.B01 Chamber of Commerce: 72334738 IBAN nr.: NL39 RABO 0332 4765 53

SECTION IV: FIRE AND EXPLOSION HAZARD DATA

SPITA

| Flash Point: | NA | Flamm | hable Limits: LEL: N | A UEL: NA |
|--------------|-------------------|---------|----------------------|--------------------------|
| Flammabilit | y Classification: | OSHA | : 111B | DOT: Not Regulated |
| Extinguishin | ng Media: | | | |
| (X) Foam | (X) Dry Chemical | (X) Co2 | (X) Water Fog | () Alcohol Foam () Other |
| | | | | |

Special Fire Fighting Procedures: No special instructions.

Unusual Fire and Explosion Hazards:

Non Expected.

SECTION V: HEALTH AND HAZARD INFORMATION

Symptoms/Effects of Overexposure:

ResQ-plast is non-irritating to the skin. Ingestion of the material is highly unlikely and the material contains no toxic ingredients. The material may be mildly irritating to the eyes. The material is essentially non-volatile and should not provide an inhalation hazard.

First Aid

| Eye: | If eye contact is made and irritation develops, contact physician. |
|------------|---|
| Skin: | Normally non-irritating. If rash develops or irritation persists, see physician. |
| Ingestion: | Due to nature of product there is no inhalation hazard. If vapors from molten or burning material is inhaled, move to fresh air and treat symptomatically. See physician. |

SECTION VI: REACTIVITY DATA

| Stability: | Normally stable. Hazardous polymerization will not occur. Material is combustible and should be stored away from excessive heat and flames. | | | |
|---|--|--|--|--|
| Incompatibility: | Strong oxidants like liquid chlorine will deteriorate the material. | | | |
| Hazardous DecompositionProducts:Will produce fumes, smoke, carbon monoxide during combustion. | | | | |

Product Identification: SPITA ResQ-plast (Self-sticking Tender Tape)







Industrieweg 18-9 3846 BD Harderwijk (NL)

Tel.: +31 - 341 - 41 49 93

www.spita.eu

VAT nr.: NL-8590.76.404.B01 Chamber of Commerce: 72334738 IBAN nr.: NL39 RABO 0332 4765 53

SECTION VII: SPILL OR LEAK PROCEDURES

Procedures:No special procedures normally needed.Waste Disposal Method:Dispose of material in accordance with federal, state and local regulations. Before
attempting clean-up refer to hazard information listed on this sheet.

SECTION VIII: SPECIAL PROTECTION INFORMATION:

Respiratory:None normally needed.Eye Wear:None normally needed.Clothing/Gloves:Normal work clothing.Ventilation:None normally needed.

SECTION IX: SPECIAL PRECAUTIONS:

No special handling procedures are necessary. This material is combustible. Follow good industrial hygiene practices.

SECTION 313: SUPPLIER NOTIFICATION

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To –Know Act of 1986 and of 40 CFR 372:

| CAS# | Chemical Name | Percent by Weight |
|------|---------------|-------------------|
| N/A | N/A | N/A |

SPITA ResQ-plast does not contain toxic chemicals and is developed for medical use.

This information must be included in all Meds that are copied and distributed for this material.

Legal responsibility is assumed only for the fact that all studies reported here and all opinions are those of qualified experts. All information is in accordance with EC – regulations, including REACH.

We, SPITA Smart Products B.V., represented by Managing Director Mr Goosen Riphagen, state that all our self-sticking tender tapes are made of the highest quality and that all published specifications are true and that all tests are conducted according to International Standards by official licensed International Organizations. These standards are included in all our Technical Papers and datasheets.

Harderwijk, January 2nd, 2022





FOOD & DRUG ADMINISTRATION USA

Our General Terms of Sales are applicable on all offers, contracts and related agreements. Registered with number 72334738 at Chamber of Commerce on August 20th, 2018.

Powered by